



# INDEX MAPS.

1.4

**T.8N R.4W 2<sup>nd</sup> Mer.**



**T.9N R.4W 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

Township N<sup>o</sup> 9. North of Range N<sup>o</sup> 4 W. 3<sup>rd</sup> Mer. Sec<sup>2</sup>  
Ch. 16.

### South Boundary

B 153.

West On the South Boundary of sec. 36. T. N<sup>o</sup> 9. R. 4 W.  
From the cor. of T. 8. R. 3. 37. 4 W.

34.00 Iron Brook. 50 links wide, course N. 4 W.

40.00 Set a post for the cor. of 74 sec. from which  
Buckeye 12 in dia. bears S 87 E. 15 links due; 1 a  
Do. 10 " " " N 60 W. 30 " "

50.00 Left Brook. 50 links wide, running N. W.

57.50 Iron Brook. 15 links wide, course N. W.

80.00 Set a post for the cor. of sec. 35 & 36. from which on  
R. Oak 20 in dia. bears S 20 E. 14 links due; 1 a  
Heiky 9 " " " N 12 W. 15 " "  
Net Bottom land. Timber & low.

West On the South Boundary of sec. 35 T. N<sup>o</sup> 9. R. 4 W.

20.00 Iron Brook. 10 links wide, course N. W.

31.50 " " " 12 " " " N. E.

40.00 Set a post for the cor. of 74 sec. from which on

Buck. 13 in dia. bears S 40 E. 39 links due; 1 a  
Do. 15 " " " N 61 W. 20 " "

80.00 Set a post for the cor. of sec. 34 & 35 from which on  
Logwood 4 in dia. bears S 60 W. 24 links due; 1 a  
Heiky 6 " " " N 46 E. 24 " "  
Poor hilly Oak & Buck. land.

West On the 3<sup>rd</sup> mile On the South Boundary of sec. 34. T. N<sup>o</sup> 9. R. 4 W.

13.50 Iron Brook. 8 links wide course N. W.

40.00 Set a post for the cor. of 74 sec. from which on

Buck 13 in dia. bears S 40 E. 19 links due; 1 a  
Do. 6 " " " N 37 W. 11 " "

41.50 Iron Spring 8 links wide. N.

80.00 Set a post for cor. of sec. 33 & 34 from which on



T. N. 9. N. R. N. 4 W 2<sup>nd</sup> Mer. Ind. a

Heiky 15 in dia: trees S35 E. 40 miles due; r<sub>2</sub>  
 Buck. 9 " " " N77 W. 24 " "  
 Heiky Oak, & 1 Buck. lands.

West On the South Boundary of Sec. 33 T. N. 9 N. R. 4 W  
 40.00 Set a 74<sup>th</sup> Sec post from which  
 Maple 15 in dia: trees N52 E. 25 miles due; r<sub>2</sub>  
 Elm 16 " " " N81 W. 9 " "  
 80.00 Set a post for the cor. of Sec. 32, 33, from which  
 Heiky 16 in dia: trees S50 E. 27 miles due; r<sub>2</sub>  
 Do. 15 " " " N56 W. 37 " "  
 Rocky lands.

West On the South Boundary of Sec. 32 T. N. 9 N. R. 4 W  
 40.00 Set a 74<sup>th</sup> Sec post from which on  
 Oak 14 in dia: trees N47 W. 27 miles due; r<sub>2</sub>  
 Buck. 14 " " " S43 E. 30 " "  
 80.00 Set a post for the cor. of Sec. 31, 32 from which  
 Elm 4 in dia: trees N35 W. 20 miles due; r<sub>2</sub>  
 Buck 12 " " " S20 W. 14 " "  
 Muddling grove Oak, & Buck lands.

West On the South Boundary of Sec. 31 T. N. 9. N. R. N. 4 W  
 14.25 To the Left Bank of N. River 600 miles due N. W.  
 40.00 Set a 74<sup>th</sup> Sec post from which  
 Buck. 12 in dia: trees N37 W. 30 miles due; r<sub>2</sub>  
 Sugar. 13 " " " S50 E. 24 " "  
 72.50 Tell 300 miles North of the trap? post & set a post  
 for the cor. of T. N. 8. & 9 N. R. N. 4 & 5 W from which  
 a 4 Buck. 12 in dia: trees. N35 E. 37 miles due; r<sub>2</sub>  
 Do. 6 " " " N50 W. 5 " "  
 Landog or Log; Timber Sugar, & Oak.

## East Boundary

April 13. 1811

B149

North	On the East Boundary of sec. 36. T. N. 9. N. R. 4 W
10.50	Trout Brook. 15 in diam. Stands in the line
40.00	Set a 74 sq foot from which
	Trout Brook. 18 in diam. bears S 107.22 W 22 mts dist; & a
	Loc. 10 " " " N 54 W. 11 " "
59.00	Trout Brook 8 mts wide, crosses S. E.
69.00	Trout Brook. 14 in diam. Stands in the line.
80.00	Set a post for the cor. of sec. 25 & 36. from which
	Trout Brook. 16 in diam. bears N 20. E. 41 mts dist; & a
	Loc. 12 " " " S 36 W. 14 " "
	Healthy Brook lands.

North	On the East Boundary of sec. 25. T. N. 9. N. R. 4 W
14.00	Trout Brook. 30 in diam. Stands in the line
40.00	Set a 74 sq foot from which
	Trout Oak. 20 in diam. bears. S 80 W. 20 mts dist; & a
	Loc. 13 " " " N 68 E. 14 " "
67.50	Trout Brook. 50 mts wide, crosses S. W.
80.00	Set a post for the cor. of sec. 24 & 25 from which
	Trout Brook. 11 in diam. bears S 44 E. 21 mts dist; & a
	Loc. 15 " " " N 44 W. 22 " "
	Trout Brook. land.

North	On the East Boundary of sec. 24 T. N. 9. N. R. 4 W
2.00	Trout Brook. 8 mts wide, crosses S. E.
37.50	Trout Oak. 30 in diam. Stands in the line
40.00	Set a 74 sq foot from which
	Trout Brook. 7 in diam. bears S 4 E. 3 mts dist; & a
	Loc. 6 " " " N 62 W. 12 " "
80.00	Set a post for the cor. of sec. 13 & 24 from which
	Trout Brook. 10 in diam. bears S 4 W. 22 mts dist; & a

N. 9. N. W. N. 4 W. 2<sup>nd</sup> Mer. Ind.

Heik 10 in dist. bears N 36 E. 13 mts dist; &  
Good lands; Timber Buck. Sugar, & Poplar.

North On the East Boundary of sec 13. T. N. 9. N. R. 4 W.  
40.00 Set a 74.25 foot from which  
Buck. 5 in dist. bears S 59 W. 26 mts dist; &  
Lo. 18 " " " N 51 E. 53 " "  
46.50 To a Poplar. 48 in dist. stands in the line  
80.00 Set a post for the cor. of sec. 12 & 13. from which  
Sugar. 13 in dist. bears S 20 E. 18 mts dist; &  
Lo. 5 " " " N 43 E. 25 " "

North On the East Boundary of sec. 12. T. 9 N. R. 4 W.  
9.50 To a Brook. 8 mts wide, comes N. E.  
31.50 " " Brook. 12 " " " W.  
40.00 Set a 74.25 foot from which  
Buck. 5 in dist. bears N 63 W. 20 mts dist; &  
Lo. 6 " " " East 26 " "  
66.00 To a Buck. 19 in dist. stands in the line.  
80.00 Set a post for the cor. of sec. 1 & 12. from which  
Buck. 6 in dist. bears S 30 W. 19 mts dist; &  
W. Oak. 30 " " " N 45 E. 31 " "  
Rich lands; timber Buck. Sugar, & Poplar.

North On the East Boundary of sec. 1. T. N. 9. N. R. N. 4 W.  
40.00 Set a 70.25 foot from which  
Oak. 13 in dist. bears S 3 E. 43 mts dist; &  
Heik 20 " " " N 3 E. 30. " "  
80.00 Set a temporary post cor. of T. N. 9. N. R. 3 & 4 W.  
Lands with River, Bottom.

North 4 Boundary

April 25. 18 11

17

T. N. 9. N. R. N. 4 W. 2nd Mer. Sec. 2

East	On a random line between T. 9. & 10. N. R. N. 4 W. 5 miles & 70 ch. & fell 5 chains N. of Temp. Post Corrected & Marked the line.
West	On the South Boundary of Sec. 36. T. N. 10. N. R. 4 W.
10.00	To the Left Point of White River 50 miles N. & S.
32.00	To a Brook 50 miles N. & S.
40.00	Set a 74 sec post from which Yew. 24 in diam. bears S 54 E. 7 miles N. & S. Sugar. 18 " " " N 44 W. 25 " "
80.00	Set a post for the cor. of sec. 35 & 36 from which Yew. 13 in diam. bears N 59 E. 12 miles N. & S. Do 9 " " " S 75 W. 27 " " Sec. 36 N. & S. bottom
West	On the South Boundary of Sec. 35. T. N. 10. N. R. 4 W.
37.50	To a Brook 8 miles N. & S.
40.00	Set a 74 sec post from which Poplar. 20 in diam. bears N 83 E. 2 miles N. & S. Yew. 18 " " " S 61 W. 34 " "
80.00	Set a post for the cor. of sec. 34 & 35 from which W. Oak. 12 in diam. bears S 27 E. 36 miles N. & S. Sugar. 13 " " " N 45 W. 43 " " For hills, Yew. land.
West	On the South Boundary of Sec. 34. T. N. 10. N. R. 4 W.
21.50	To a Brook 12 miles N. & S.
40.00	Set a 74 sec post from which Yew. 12 in diam. bears S 28 E. 31 miles N. & S. Poplar. 20 " " " N 5 W. 3 " "
80.00	Set a post for the cor. of sec. 33 & 34 from which Yew. 12 in diam. bears N 72 W. 24 miles N. & S. Do. 9 " " " East 21 " "



T. N. 9. N. 10. N. 4 W. 2nd Mer. Sec.

Por. Buck. land

West On the South Boundary of sec. 33. T. 10 N. 4 W.

2.00 To a Brook 15 links wide, Corner S. W.

28.00 To a Brook 8 " " " S. W.

40.00 Set a 74 cu post from which

Buck. 12 in diam. bears S 55 E. 18 links dist; 1st

Sugar. 12 " " " N 27 W. 15 " "

80.00 Set a post for the cor. of sec. 32, 33. from which

Sugar. 8 in diam. bears N 52 W. 24 links dist; 1st

W. Oak. 30 " " " S 51 E. 42 " "

Mudding Buck. land

West On the South Boundary of sec. 32. T. N. 10. N. 4 W.

5.00 To a Brook. 50 links wide, Corner S. W.

39.00 " " 10. 25 " " " S. W.

40.00 Set a 74 cu post from which

Butternut. 10 in diam. bears S 20 W. 5 links dist; 1st

Cherry 5 " " " N 74 E. 21 " "

Por. Bottom lands. 1st

80.00 Set a post for the cor. of sec. 31, 32 from which

Hick. 10 in diam. bears N 84 E. 5 links dist; 1st

Buck. 13 " " " S 56 W. 44 " "

Buck. land

West On the South Boundary of sec. 31. T. N. 10. N. 4 W.

40.00 Set a 74 cu post from which

Log woods 4 in diam. bears N 78 E. 7 links dist; 1st

Iron woods 3 " " " N 83 W. 10 " "

70.00 Set 250 links South of the post (temp) &amp; set a post

cor. of T. N. 9 &amp; 10 N. 4 &amp; 5 W. from which

Buck. 4 in diam. bears S 81 E. 22 links dist; 1st

Do. 3 " " " N 86 W. 24 " "



T. N. 9. MR. N. 47. 2<sup>nd</sup> Mer. Sud. 19

Por. Buck land: 1

## West Boundary

April 24. 1811

B162

North On the East Boundary of Sec. 36. T. N. 9. MR. N. 57  
From the cor. of T. 8 & 9 MR. 4 & 5 yr.

21.00 To a creek. 75 rods wide, corner E.

40.00 Set a 74 sec post in the S side of a Creek. 75 rods  
wide, running S.W. a Water Buck. 6 in diam. on  
South side

80.00 Set a post for the cor. of Sec. 25 & 36. From which a  
W. Oak. 15 in diam. bears N 21 E. 33 rods west; 1 a  
Hick. 16 " " S 54 W. 15 " "  
West Buck. land.

North On the East Boundary of Sec. 25 T. N. 9. MR. 5 W

40.00 Set a 74 sec post from which a

Buck. 9 in diam. bears N 57 W. 7 rods west; 1 a

W. Oak. 24 " " S 27 E. 46 " "

57.25 To a B. Oak. 20 in diam. stands on the line.

80.00 Set a post for the cor. of Sec. 24 & 25 from which a

W. Oak. 13 in diam. bears N 64 W. 37 rods west; 1 a

Buck. 14 " " S 71 E. 70 " "

Buck. land made bucky

North On the East Boundary of Sec. 24 T. 9 N. 5 W

20.00 To a Brook. 10 rods wide, corner E.

38.00 " " Spring Run 8 rods wide, corner S.

40.00 Set a 74 sec post from which a

Buck. 13 in diam. bears S 20 W. 33 rods west; 1 a

Q. 18 " " N 30 E. 16 " "

80.00 Set a post for the cor. of Sec. 13 & 24 from which a

Q. 12 in diam. bears S 30 W. 21 rods west; 1 a

T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind.

Sugar 9 in dist. bears N 66 E. 24 links dist;  
 For Buck land

North On the East Boundary of sec. 13. T. 9. N.R. 5 W

38.50 To a Brook. 12 links wide, Course S.E.

40.00 Set a 7/4 sec post from which

Buck. 9 in. dist. bears S 60 E. 20 links dist; 1<sup>st</sup>

No. 9 " " " S 83 N. 13 " "

76.00 To a Brook. 12 links wide Course S.E.

80.00 Set a post for the cor. of sec. 12 & 13 from which

Sugar. 12 in dist. bears S 77 N. 12 links dist; 1<sup>st</sup>

No. 15 " " " N 58 E. 37 " "

For Buck land.

North On the East Boundary of sec. 12. T. N<sup>o</sup> 9. N.R. 5 W

40.00 Set a 7/4 sec post from which

Buck. 17 in dist. bears S 59 N. 61 links dist; 1<sup>st</sup>

Ironwood Co. " " N 24 E. 55 " "

53.00 To a Sugar. 12 in dist. in the line

80.00 Set a post for the cor. of sec. 12 & 13 from which

Sugar. 8 in dist. bears S 67 N. 21 links dist; 1<sup>st</sup>

Shesafra 9 " " " N 67 E. 6 " "

For Buck land

North On the East Boundary of sec. 1 T. N<sup>o</sup> 9. N.R. 5 W

25.00 To a Brook. 12 links wide, Course E.

40.00 Set a 7/4 sec post from which

Buck. 1 in dist. bears S 71 E. 12 links dist; 1<sup>st</sup>

W. Oak. 24 " " " N 60 W. 26 " "

77.50 Struck timber post.

80.00 Set a post

Land 2<sup>nd</sup> post; Timber Buck & Sugar

Surveyed by James Holmes Dep. Sur.

### Subdivisions

March 8<sup>th</sup> 1811. Begun at the cor. of 35136. run

North	Between Sec. 35136 T. N. 9. N. 10. 4 W.
21.50	Lost Brook. 20 in. dia. in the run
27.00	" " Brook. 50 in. dia. in, Co. NW
31.00	" " do. 50 " " " NE
35.00	" " do. 50 " " " NW
40.00	Set a 74 supst from which a
	Brook. 24 in. dia. runs N 40 E. 20 the creek; run,
	do. 24 " " " S 45 W. 45 " "
53.00	Lost Brook. 10 in. dia. side, Corner S. W.
48.50	" " do. 3 " " " S. W.
80.00	Set a temp <sup>ry</sup> post for the cor. of sec. 25, 26, 35136.

East On a Random line between Sec. 25136. T. 9 N. 4 W.

West	On a line between Sec. 25136 T. 9 N. 4 W.
20.00	Lost Brook. 3 in. dia. side, Cor. S. W.
	Broken Brook. runs,
40.00	Set a 74 supst from which a
	brook 18 in. dia. runs S 20 W. 21 in. dia. creek; run,
	W. Oak. 24 " " " S 22 W. 30 " "
58.00	Lost Brook. 3 in. dia. side, Corner S. W.
	Poor lands; Timber Brook. Poplar &c
80.00	Set a post for the cor. of sec. 25, 26, 35136 from which a
	run. 10 in. dia. runs N 12 E. 10 in. dia. creek; run,
	Brook. 12 " " " S 10 W. 14 " "

North	Between Sec. 25136 T. N. 9. N. 10. 4 W.
5.50	Lost Brook. 16 in. dia. in the run
30.00	Lost Brook. 8 in. dia. side, Cor. S. W.
40.00	Set a 74 supst from which a
	Brook. 15 in. dia. runs N 60 W. 17 in. dia. creek; run,

T. N<sup>o</sup> 9. N. 47<sup>th</sup> 2<sup>nd</sup> Mer. Ind.

06.50 Buck. 13 in diam. bears S 50 E. 20 units each  
 Fork Brook. 100 units wide, comes S. N.

Met Buck land

80.00 Set a trap for the cor. of Sec. 23, 24, 25, 26  
 pt. 30 ch. Poor. Hilby 1 Buck. land.

East On a Random line between Sec. 24, 25, T. N<sup>o</sup> 9. N. 47<sup>th</sup>  
 Met land.

West On the true line between Sec. 24, 25, T. N<sup>o</sup> 9. N. 47<sup>th</sup>

40.00 Set a 74 sq foot from which

Sugar. 9 in diam. bears N 45 E. 10 units each; ra

Buck. 15 " " " S 10 W. 40 " "

45.00 Fork Brook. 10 units wide, comes S. E.

49.00 " " Do. 10 " " " N. W.

63.00 " " Do. 100 " " " N. W.

78.00 " " Do. 100 " " " S. E.

80.00 Set the post for the cor. of Sec. 23, 24, 25 & 26 from which

Heck 15 in diam. bears S 15 E. 18 units each; ra

Do. 12 " " " N 45 W. 12 " "

Sound & timber as above

North Between Sec. 23, 24 T. N<sup>o</sup> 9. N. 47<sup>th</sup>

3.00 Fork Brook. 10 units wide, Co. S. E.

6.00 " " Buck. 22 in diam. in the line.

29.00 Fork Brook. 8 units wide, comes S. W.

Hilby Buck land

40.00 Set a 74 sq foot from which

Sugar. 8 in diam. bears N 75 W. 4 units each; ra

Buck. 9 " " " S 45 E. 10 " "

80.00 Set a trap for the cor. of Sec. 13, 14, 23 & 24

East On a Random line between Sec. 13, 14, 23 & 24 T. N<sup>o</sup> 9. N. 47<sup>th</sup>



T. N. 9 N.R. N. 4 W. 2<sup>nd</sup> Mer. Sec. 7

Healthy rich land Timber Sugar & Poplar.

West	On the true line between Sec. 13 & 24 T. N. 9 N.R. 4 W
40.00	Set a 74 cu post from which Buck 4 in. diam. runs S 70 E. 8 links dist; & a Co. 18 " " " S 45 W. 40 " "
40.00	Tran Brook. 12 links wide, Co. N.E. Rich bottom land Timber Buck. Sugar & Walnut.
80.00	Set a post for the cor. of Sec. 13, 14, 23 & 24 from which on Oak. 14 in. diam. runs S 25 E. 12 links dist; & a Oak. 36 " " " N 10 E. 21 " "
North	Between Sec. 13 & 14 T. N. 9 N.R. 4 W
40.00	Set a 74 cu post from which on Sound timber same Buck 14 in. diam. runs N 14 E. 37 links dist; & a Buckeye 9 " " " N 45 E. 9 " "
53.25	To the Left Bank of White River. Set a post. Co. S W
West	Between Sec. 12 & 13 T. N. 9 N.R. 4 W.
24.00	Tran Brook. 12 links wide; Co. N.W.
40.00	Set a 74 cu post from which on Heik 9 12 in. diam. runs S 50 E. 16 links dist; & a Oak. 15 " " " " N 20 W. 11 " "
62.50	Set a post on the Left Bank of White River. Co. S W Land as rich & healthy; Timber Buck. & Sugar.
West	Between Sec. 1 & 12 T. N. 9 N.R. N. 4 W
17.50	Set a post on the Left Bank of White River. Co. S W.
March, 9 <sup>th</sup> 1814	
North	Between Sec. 34 & 35 T. N. 9 N.R. N. 4 W
19.00	Tran Poplar. 30 in. diam. Stand in the line.
35.00	Tran Brook. 3 links wide, Corners S W.

Healthy land  
Bent Oak  
Poplar



D. N<sup>o</sup> 9. N.R. N: 4 W 2<sup>nd</sup> Mn. Ind.

40.00 Set a post for 1/4 sec from which  
 Brook. 13 in. dia: beam S66 W. 35 units dia: 1 a  
 Lo. 84 " " East of " "  
 49.50 To a Brook. 18 in. dia: stem as in the line.  
 55.00 " " Brook 75 units wide, Co. S.W.  
 66.00 " " do. 75 " " " S.E.  
 68.00 " " " 75 " " " S.W.  
 80.00 Set a temporary post for the cor. of sec 26, 27, 34 & 35

Met. Bottom: Lumber Line

East On a Remden line between lat. 26, 135. T. 9. N.R. 4 W

West On the true line between Lat. 26, 135 T. N<sup>o</sup> 9. N.R. 4 W  
 20.50 To a Brook. 10 units wide, Co. S.W.  
 40.00 Set a 7/4 sec post from which  
 Brook. 15 in. dia: beam S60 E. 20 units dia: 1 a  
 Ash. 5 " " " N 10 W. 5 " "  
 63.00 To a Brook. 100 units wide, Co. S.W.  
 80.25 Set a post for the cor. of sec. 26, 27, 34 & 35 from which -  
 Brook. 15 in. dia: beam. S6 W. 26 units dia: 1 a  
 Lo. 12 " " " N 34 E. 25 " "  
 Lands 1/2 of Port. hilly Brook. land; 2<sup>nd</sup> of port bottom  
 Lumber Brook & E. line.

North Return. Lat. 26 & 27. T. N<sup>o</sup> 9. N.R. N: 4 W

26.00 To a Brook. 3 units wide, Normes E.  
 37.00 " " Lo. 3 " " " E  
 40.00 Set a 7/4 sec post from which  
 Brook. 12 in. dia: beam S41 W. 44 units dia: 1 a  
 Wallak 30 " " " N 65 E. 25 " "  
 54.00 To a Brook. 3 units wide, Normes E.  
 65.00 " " Lo. 3 " " " E.  
 80.00 Set a temporary post for the cor. of sec. 22, 23, 26, 27  
 Lands 1/2 half land; 2<sup>nd</sup> of hilly; Lumber Brook

T. N<sup>o</sup> 9. M.R. N<sup>o</sup> 477 2<sup>nd</sup> Mm. Ind.

East	On a Random line between Sec. 23. 126 T. N <sup>o</sup> 9. M.R. 477
West	On the true line between Sec. 23. 126 T. N <sup>o</sup> 9. M.R. 477.
23.00	To a Brook. 3 miles wide, Course S.
28.50	" " " " " " " " " " " "
40.00	Set a 74 <sup>th</sup> foot from which
	W. Oak. 18 in. diam. bears S 23 E. 25 miles west; & a
	N. Oak 36 " " " S 3 E. 11 " "
48.00	To a Brook. 4 miles wide, Course S.
50.00	" " " " " " " " " " " "
80.50	To the cor. of Sec. 22, 23, 26 & 27 from which
	W. Oak. 18 in. diam. bears S 9 E. 19 miles west; & a
	Do. 18 " " " N 47 E. 21 " "
	Healthy Brook. lands.
North	Return Sec. 23 & 22 T. N <sup>o</sup> 9. M.R. N <sup>o</sup> 477
13.00	To a N. Oak. 36 in. diam. stands in the line.
40.00	Set a 74 <sup>th</sup> foot from which
	W. Oak 15 in. diam. bears N 50 E. 25 miles west; & a
	Do. 18 " " " S 75 W. 17 " "
62.12	To the left Bank of White River cor of Sec. 22, 23 Set post
	Healthy Brook. lands.
W	
West	Return Sec. 14. & 23. T. N <sup>o</sup> 9. M.R. N <sup>o</sup> 477
40.00	Set a 74 <sup>th</sup> foot from which Sugar, Walnuts,
	Blackberry 12 in. diam. bears N 70 E. 10 miles west; & a
	Walnut. 40 " " " S 80 W. 14 " "
53.25	Set a post on the left Bank of White River; River Bottom
North	Return Sec. 33 & 34 T. N <sup>o</sup> 9. M.R. 477
40.00	Set a 74 <sup>th</sup> foot from which
	W. Oak. 30 in. diam. bears S 65 E. 17 miles west; & a
	Brook. 7 " " " N 63 W. 16 " "

42.00 Trail Brook. 3 huts wide, Co. 1<sup>st</sup> M.  
 43.50 " " " " " "  
 80.00 Set a temp. post for the cr. of lvs 27, 28, 33, 134  
 Lunds 1<sup>st</sup> Heily Bush lands; 2<sup>nd</sup> 1/2 hilly; Lunds  
 Sugm. Oak 1<sup>st</sup>.

East Oak Random line between lvs 27, 134 T. N. 9. M. R. 4

West Oak Random line between lvs 27, 134, T. N. 9. M. R. 4

40.00 Set a 1/4 sec post from which  
 Maple 12 in diam. trees. N 10 W 25 huts wide; 1<sup>st</sup>  
 Elm. 15 " " " N 80 W. 35 " "

57.00 Trail Brook. 100 huts wide, Co. 1<sup>st</sup> M.

80.00 Set a post for cr. of lvs 27, 28, 33, 134 from which  
 Cottonwoods 30 in diam. trees. N 85 W. 3 huts wide; 1<sup>st</sup>  
 L. 24 " " " N 85 E. 18 " "  
 Lunds overgrown Bottom; Lunds Cottonwood

North Return lvs 32, 33. T. N. 9. M. R. 4 W.

1000 Set a post on the Left Bank of White River

North Return lvs 31 + 32 T. N. 9. M. R. 4 W.

30.00 Set a post on the Left Bank of White River Co. 1<sup>st</sup> M.  
 Good Bottom lands; Lunds Walnut Sugar 1<sup>st</sup>  
 March 10, 1814.

North Return lvs 27 + 28 T. N. 9. M. R. 4 W.

3.00 Trail Brook. 150 huts wide, Co. 1<sup>st</sup> M.  
 3.640 Lunds 24 huts wide in the line

38.50 Trail Brook. 6 huts wide, Co. 1<sup>st</sup> M.

40.00 Set a 1/4 sec post from which  
 Ash. 20 in diam. trees N 85 E. 18 huts wide; 1<sup>st</sup>  
 Elm. 18 " " " N 87 E. 18 " "

54.00 Trail Brook. 3 huts wide; Lunds 1<sup>st</sup> M.

27

T. N. 9. MR. N. 4. W. 2nd & 3rd Sec. Ind.

55.01 To Spring Co. W.  
 80.00 Set apart for the cor. of sec. 21, 22, 27, 128  
 Lands 1st 1/2 m. bottom; Timber Cottonwood  
 Sugar, 1c, 2nd 1/2 m. rich Timber Sugar Oak Bush

East On a Random line between Sec 22, 127 T. N. 9. MR. 4 W

West On a Random line between Sec 22, 127 T. N. 9. MR. 4 W  
 15.00 To a Brook. 4 m. side, Co. S.  
 39.00 " " do 5 " " "  
 40.00 Set apart for the cor. of sec. 21, 22, 27, 128 from which  
 Brook 8 m. diam. trees 27 W. 4 m. side; 1c  
 do 15 " " " N 21 E. 33 " "  
 80.00 Set apart for the cor. of sec. 21, 22, 27, 128 from which  
 Brook 18 m. diam. trees 50 W. 13 m. side; 1c  
 do 10 " " " N 13 E. 45 " "  
 Healthy Brook lands.

North Return Sec. 21, 122 T. N. 9. MR. N. 4 W  
 37.00 To a Brook. 6 m. side, Co. S.  
 40.00 Set apart for the cor. of sec. 21, 22, 27, 128 from which  
 Sugar 14 m. diam. trees. 10 W. 16 m. side; 1c  
 Poplar, 14 " " " N 35 W. 10 " "  
 54.50 To a Sugar 13 m. diam. trees in the line.  
 80.00 Set apart for the cor. of sec. 15, 16, 21, 122 from which  
 Sugar 12 m. diam. trees N 12 W. 10 m. side; 1c  
 do 13 " " " S 20 E. 40 " "  
 Lands 1st 1/2 m. pretty good Brook lands; 2nd 1/2 m.  
 Rich hilly lands; Timber Sugar, Poplar, 1c

East Return Sec. 15, 122 T. N. 9. MR. 4 W  
 40.00 Set apart for the cor. of sec. 21, 22, 27, 128 from which  
 Healthy 24 m. diam. trees. S 30 E. 16 m. side; 1c



I. N<sup>o</sup> 9. M.R. N<sup>o</sup> 47 N<sup>o</sup> 2<sup>nd</sup> of Mr. Suda

70.75	Elm 9 in diam. bears N60 W 30 limbs rich; Set a post on the Left Bank of White River Sand River bottom; Timber Sugar, Elm Walnut
North 9.50	Return Lat 1546 I. N <sup>o</sup> 9. M.R. 47 Set a post on the Left Bank of W. River
West 40.00	Return Lat. 1642 I. N <sup>o</sup> 9. M.R. 47 Set a 74 sq post from which Walnut 18 in diam. bears N30 W. 16 limbs rich; 1 a Do. 30 " " " N65 E. 14 " "
4036	To the Left Bank of W. River The line keeps on the River across the distance Sand River bottom; Timber Sugar Walnut.
West 11.50 45.00	Return Lat. 21228 I. N <sup>o</sup> 9. M.R. 47 To a Brook 8 limbs wide, leaves 9 W Set a 74 sq post from which Hick 18 in diam. bears N20 E. 18 limbs rich; 1 a Hickberry 9 " " " S30 E. 12 " "
63.00	Set a post on the Left Bank of White River Hilly Bush. lands.
West 2.50 37.00 40.00	Return Lat. 28533 I. N <sup>o</sup> 9. M.R. 47 To White River; 500 limbs wide, leaves 8 W To a pond 150 limbs wide, leaves N15. Set a 74 sq post from which on Elm 16 in diam. bears S81 E. 23 limbs rich; 1 a Lycamore 30 " " " S60 W 18 " "
74.00 80.00	To a Brook 4 limbs wide, leaves N. Set a simple post for the cor of lat. 28.29.32 & 33. March 11. 1814 Sand River bottom; Timber Sugar, Elm



29

T. N. 9. M. R. N. 47. 2<sup>nd</sup> Mer. Sud.

Cottonwood; 2<sup>nd</sup> 1/2 Sande hills; Buck & Sugar.

North	Return Sat. 32, 33 T. N. 9. M. R. N. 47.
	From the post on the South Bank of river
30.00	To a maple 10 mi dist. in the line
40.00	Set a 74 sw post from which =
	Buck. 18 mi dist. from N 137 W. 20 miles dist; 1/2
	Lo. 10 " " " S 116. 49 " "
50.50	To a sugar. 12 mi dist. stands in the line.
80.00	Then cut the E 17 line 20 miles West of set at which =
	cor of sat. 28, 29 32, 33 from which =
	Buck. 24 mi. dist. from N 40 E. 25 miles dist; 1/2
	Lo. 8 " " " N 80 W. 18 " "
	1 <sup>st</sup> 1/2 overflowed bottom; 2 1/2 Buck & Sugar bottom

North	Return Sat. 28 & 29 T. N. 9. M. R. 47
12.50	To a Buck 3 miles from S. E.
39.00	" " " 3 " " " "
40.00	Set a 74 sw post from which =
	Buck. 20 mi dist. from N 87 W. 21 miles dist; 1/2
	Lo. 18 " " " N 87 E. 10 " "
80.00	Set a temporary post cor of sat. 20, 21, 28, & 29.
	Sande under Timber Buck, Sugar,

East On a line from line between Sat. 21 & 28 T. N. 9. M. R. 47

West	On the line between Sat. 21 & 28 T. N. 9. M. R. 47.
80.00	Small to the first cor of sat. 20, 21, 28 & 29 from which =
	Headsberry 12 mi dist. from N 57 W. 10 miles dist; 1/2
	Heads 16 " " " N 97 W. 26 " "

North	Return Sat. 20 & 21 T. N. 9. M. R. N. 47
40.00	Set a 74 sw post from which =

T. No 9. N.R. No 4 W. 2<sup>nd</sup> New Ind.

	Reck 8 in dist. from N 34 W 14 miles dist; 7 <sup>th</sup> Lo. 16 " " " S 32 E 39 " "
53.00	Took Brook 5 miles wide, Course N.E.
55.00	" " Lo. 5 " " " N.W.
56.00	" " Lo. 5 " " " N.E.
80.00	Set a trap for fish for the cor of sec. 16. 17. 20. & 21
East	On a random line between sec. 16 & 21 T. No 9. N.R. 4 W.
West	On the true line between sec. 16. & 21. T. No 9. N.R. 4 W. Continued the line in the direction of the N. Side.
70.00	Left the River running S.
80.00	Established the post cor of sec. 16. 17. 20 & 21 from which is Reck 30. in dist. from N 30 W. 16 miles dist; 8 <sup>th</sup> Lo. 8 " " " N 88 E. 18 " "
North	Between sec. 16 & 17 T. No 9. N.R. 4 W.
15.00	Took pond running S.E. kept up it.
40.00	Overrun for 1/4 sec. in the pond
41.50	Left the pond to the right
80.00	Clear hill, Reck. Line to post cor of sec. 8. 9. 16. & 17
North	Between sec. 15 & 16 T. No 9. N.R. 4 W.
	Continued from post on the S. Side of the River
25.00	Took Brook 10 miles wide, Course W
40.00	Set a 74 supst from which is Reck 12 in dist. from S 59 W. 8 miles dist; 7 <sup>th</sup> Lo. 12 " " " N 45 E. 25 " "
53.00	Took Brook 10 miles wide, Co. E.
60.00	" " Lo. 10 " " " W
68.00	Found a 10 in dist. in the line.
80.00	Set a trap for fish for the cor. of sec. 9. 10. 15 & 16. Land 8 <sup>th</sup> overflowed bottom; East of old land

31

T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W. 2nd<sup>e</sup> Mer. Sec<sup>o</sup>.

North Between Sec. 22 & 23 T. N<sup>o</sup> 9. N.R. 4 W.  
From the post on the Left Bank of the River.  
8000 Set a post for the cor of sec. 14 15, 22 & 23.

West Between Sec. 14 & 23 T. N<sup>o</sup> 9. N.R. 4 W.  
From the Left Bank of River  
8000 Set a post for the cor of sec. 14, 15, 22 & 23 from which  
Maple 18 in diam<sup>r</sup> trees N 49 W. 20 huts dist; 2<sup>nd</sup>  
Box Elder. 12<sup>th</sup> " " N 20 E. 32 " "

Marked the Line West to the River Between Sec 15 & 22.

March 12<sup>th</sup> 1814

North Between Sec. 14 & 15 T. N<sup>o</sup> 9. N.R. 4 W.  
4000 Set a 74 foot post from which  
Lyc. 10 in. diam<sup>r</sup> trees N 16 W. 10 huts dist; 8<sup>th</sup>  
Box. 6<sup>th</sup> " " N 49 E. 15 " "  
8000 Set a 17 foot post for the cor of sec. 10, 11, 14 & 15  
Willow Bush. Secs.

North Between Sec. 13 & 14 T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W.  
Continued the line between Sec. 13 & 14 from post  
on the left Bank of River  
8000 Set a post for the cor of sec. 11, 12, 13 & 14

West Between Sec. 12 & 13 T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W.  
Continued from the Left Bank of River  
7950 Corner of sec. 11, 12, 13 & 14 from which  
Lyc. 24 in diam<sup>r</sup> trees N 53 W. 37 huts dist; 1<sup>st</sup>  
Willow 8 " " " N 44 E. 26 " "

North Between Sec. 11 & 12 T. N<sup>o</sup> 9. N.R. 4 W.  
1800 To a Brook 10 huts wide, Norma T. W.

T. N<sup>o</sup> 9. N. R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Sec.

40.00	Set a $\frac{1}{4}$ sec post from where Sugar 10 in diam. trees S 81 E. 5 links dist; 7 a, Beck 8 " " " N 75 W. 22 " "
80.00	Set a temp <sup>y</sup> post for the cor. of sec. 1. 21. 1. 12 Heathy rich lands; Timber Sugar Beck, Ash, &
East	On a Random line between Sec. 1. 1. 12 T. N <sup>o</sup> 9. N. R. 4 W.
West	Return Sec. 1. 1. 12 T. N <sup>o</sup> 9. N. R. 4 W. From the Left Bank of River
40.00	Set a $\frac{1}{4}$ sec from where Beck 8 in diam. trees N 20 E. 7 links dist; 7 a, Do 24 " " " S 40 W. 25 " "
79.00	Established the cor. of sec. 1. 21. 1. 12 from where W. Oak. 36 in diam. trees S 43 W. 30 links dist; 7 a, Hogwood Co. " " " N 50 E. 23 " " Sand point bottom & part hill Timber Sugar Beck Ash, & Poplar
North	Return Sec. 1. 1. 12 T. N <sup>o</sup> 9. N. R. 4 W.
40.00	Set a $\frac{1}{4}$ sec post from where Beck 5 in diam. trees S 87 E. 7 links dist; 7 a, Sugar 10 " " " N 53 W. 17 " "
80.50	Enter out the N. R. road 200 links East of the post cor. of sec. 35 & 36 T. N <sup>o</sup> 10. N. R. 4 W. & set a post for the cor. of sec. 1. 1. 12 from where Beck 16 in diam. trees N 28 W. 7 links dist; 7 a, Do. 13 " " " N 0 E. 33 " " Over rich lands; Part bottom; Timber Sugar, Poplar Ash & c.
West	Return Sec. 1. 1. 14 T. N <sup>o</sup> 9. N. R. 4 W.
16.00	Lost Brook 20 links wide, Sec. 1. 1. 14



## T. No. 9. N.R. No. 4 W. 2nd Mer. Sud.

40.00	Set a 74 sec post from which a Beck. 6 in dist. bears S 35 7 N. 10 units dist; ra, Sugar. 12 " " " S 76 E. 32 " "
80.00	Set a post for the cor. off sec. 10. 11. 14 15 from which a Sugar. 20 in. dist. bears N 51 E. 20 units dist; ra, Lo. 12 " " " S 47 N. 43 " " Hilly rich lands; Timber Sugar.

North	Between Sec. 10 & 11 T. No. 9. N.R. 4 W
15.50	Look Brook 10 units wide, Co. W.
17.00	" " Lo. 10 " " " E.
31.50	" " Lo. 3 " " " W
40.00	Set a 74 sec post from which a Sugar. 18 in. dist. bears N 18 W. 8 units dist; ra, Beck. 6 " " " S 33 E. 22 " "
80.00	Set a trap post for the cor. off sec. 2, 3 10 & 11 Rich broken land Timber Sugar, Beck 10

East Quak Run dam line between Sec. between Sec. 2 & 11.  
20.00

West	Between Sec. 2 & 11 T. No. 9. N.R. 4 W
20.00	Look Brook 5 units wide, Co. N.W.
35.50	" " Lo. 11 " " " S W
40.00	Set a 74 sec post from which a (in a Brook. 12 Co. S.W. Beck. 12 in. dist. bears N 0 W. 17 units dist; ra, Sugar 13 " " " N 8 E. 29 " "
80.00	Set a post for the cor. off sec. 2, 3. 10 & 11 from which a Beck 10 in. dist. bears S 66 E. 10 units dist; ra, Lo. 8 " " " N 80 W. 28 " " Hilly rich sugarcane land

North	Between Sec. 2 & 3 T. No. 9. N.R. 4 W
100.00	Set a 74 sec post from which a



T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W 2<sup>nd</sup> Mer. Sud<sup>e</sup>.

W Oak. 16 in diam. trees S 8 W. 12 knots ash; rays  
 Hickory 7 " " " N 30 W 29 " "  
 43.00 Top Brook. 10 knots mid., lower W  
 47.50 Top Spring 10 knots mid., lower Spr  
 81.00 Into cut the N Boundary 300 knots East of the first  
 cor of lat. 34.135 T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W & set apart for  
 the cor of lat. 213 from which =  
 Buck. 12 in diam. trees S 45 W. 13 knots ash; rays  
 W Oak. 20 " " " N 40 E. 25 " "  
 Kelly Buck. land.

West Return Lat. 10.15 T. N<sup>o</sup> 9. N.R. 4 W.  
 40.00 Set a post for the cor. of lat. 213 from which =  
 Poplar. 30 in diam. trees N 8 W. 10 knots ash; rays  
 Buck. 10 " " " " S 10 W. 20 " "  
 51.50 Top Brook 8 knots mid., lower S  
 58.50 " " 20. 8 " " " "  
 80.00 Set a post for the cor. of lat. 9.10.15 & 16 from which =  
 Walnut 30 in diam. trees N 11 W. 20 knots ash; rays  
 W Oak. 24 " " " S. 9 W. 42 " "  
 Rich Sugar tree land March 13. 1814

West Return Lat. 9.16 T. N<sup>o</sup> 9. N.R. 4 W.  
 25.00 Top Brook. 3 knots mid., lower S.  
 40.00 Set a post for the cor. of lat. 74 set from which =  
 Buck. 18 in diam. trees N 40 E. 18 knots ash; rays  
 Ash. 36 " " " " S 40 W. 18 " "  
 80.00 Set a post for the cor. of lat. 8.9.16 & 17 from which =  
 Buck. 19 in diam. trees N 75 E. 35 knots ash; rays  
 Hickory 5 " " " " S 45 W. 6 " "  
 Kelly Buck. land

North Return Lat. 9.20 T. N<sup>o</sup> 9. N.R. 4 W.

T. No 9. N.R. No 47. 2nd Mer. Sud:

27.00	Loak Brook 4 miles wide, Co. E.
28.25	" " Walnut 18 in diam. in the line
40.00	Set a post from which a Beck 12 in diam. bears S 45 W 35 miles ash; ran " " " " " " N 30 E 22 " "
60.00	Loak Brook 12 miles wide, Co. N.E.
50.00	Set a post for cor. of L. 3. 4. 9 & 10 Heilly rich Sugar tree land
East	On a Ransom line between L. 3. & 10 T. No 9. N.R. 47
West	On a line between L. 3. & 10. T. No 9. N.R. 47
28.50	Loak Brook. 15 miles wide, Co. S.W.
35.50	Loak Brook. 10 " " " S.E.
40.00	Set a post from which a Sugar 15 in diam. bears S 75 W 13 miles ash; ran Beck 14 " " " " N 65 E 30. " "
80.00	To cor. of L. 3. 4. 9. & 10 from which a B. Oak 30 in diam. bears N 20 E 25 miles ash; ran ash. 20 " " " " S 10 E 11 " " Heilly rich lands; Timber Sugar. Beck. & Poplar.
North	Between L. 3. & 4 T. No 9. N.R. 47.
40.00	Set a post from which a R. Oak 48 in diam. bears N 15 W 18 miles ash; ran Beck. 14 " " " " S 30 E 13 " "
51.00	Loak Brook. 5 miles wide, Co. S.W.
55.50	" " " " " " " S.W.
73.00	" " " " " " " S.W.
81.00	Enter out the N.R. line 400 miles East of the first cor. of L. 3. & 4 T. No 9. N.R. 47. made at a post for the cor. of L. 3 & 4 from which a Sugar 13 in diam. bears S 60 E 37 miles ash; ran

## T. N. 9. N. 4. W. 3rd. Mer. S. 4th.

Sugm. 14 in clear brow N10E. 11 links dish;  
 Kelly Back lands enclose with brown brow

North	Between Sub. 8 & 9 T. N. 9. N. 4. W.
23.00	To a W Oak. 36 in clear in the line
26.00	" " Brook. 4 links side, Co. S. W.
40.00	Set a post for 1/4 sec. from which a Back. 13 in clear brow N10 W. 8 links dish; 1/4 Co. 10 " " " N 30 W. 20 " "
53.50	To a Brook. 12 links side, Co. W
70.00	" " Co. 8 " " " S. W.
80.00	Set a temp. post for the cor. of sub. 4, 5, 8 & 9
East	On a run line between Sub. 4 & 9 T. N. 9. N. 4. W.
West	On the true line between Sub. 4 & 9 T. N. 9. N. 4. W.
13.50	To a Brook. 6 links side, Co. S. W.
21.00	" " Co. 6 " " " S. E.
40.00	Set a post for 1/4 sec. cor. from which a Back. 17 in clear brow N10E. 15 links dish; 1/4 Co. 19 " " " N 5E 13 " "
67.00	To a Brook. 6 links side, Co. S. W.
78.00	" " Co. 8 " " " S. W.
80.00	To the post set for the cor. of sub. 4, 5, 8 & 9 from which Back. 24 in clear brow N45E. 35 links dish; 1/4 Sugm. 10 " " " S 30 W. 39 " " Kelly Back. land.
North	Between Sub. 4 & 5 T. N. 9. N. 4. W.
7.00	To a W Oak. 30 in clear in the line
39.50	To a Brook. 15 links side, Co. N. E.
40.00	Set a post for 1/4 sec. from which a Back. 14 in clear brow N 85 W. 78 links dish; 1/4

T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W 2<sup>nd</sup> Sec. Sud<sup>y</sup>

70.00	4 Buck. 4 mi. deer beam S 56.30 miles north;
81.00	Took Brook 5 miles wide, Co. S.W.
	Enter cut the N 15 mi 500 miles East of the first cor of sec.
	32 & 33. T. N <sup>o</sup> 9 W N.R. N <sup>o</sup> 4 W made cut a spot for the
	cor. of sec. 4. & 5 from which
	4 Buck 18 mi deer beam N 40 W 10 miles north; 1 a,
	Lo. 14 " " " S 80 E. 60 " "
	Pro hilly Buck. land.
March 14. 1814	
North	Return Sec. 31 & 32 T. N <sup>o</sup> 9. N.R. 4 W
	Continued from the Left Bank of White River
40.00	Set a 74 su post from which
	Chm 10 mi deer beam S 20 W 3 miles north; 1 a,
	Buck. 5 " " " S 80 E. 14 " "
80.00	Set a post for the cor of Sec. 29. 30. 31. & 32
East	On Random line between Sec. 29. 132 T 9 N.R. 4 W
West	On the true line between Sec. 29. 132 T. N <sup>o</sup> 9. N.R. 4 W
40.00	Set a 74 su post from which
	Buck. 15 mi deer beam N 45 E. 8 miles north; 1 a,
	Lo. 20 " " " S 40 W. 25 " "
80.00	To the post set for cor of Sec. 29. 30. 31 & 32 from which
	Buck. 18 mi deer beam S 45 E. 6 miles north; 1 a,
	Lo. 20 " " " S 56 W. 13 " "
	Good Buck land
West	Return Sec. 30. & 31 T. N <sup>o</sup> 9. N.R. 4 W
21.50	Took Brook 12 miles wide, Co. S
37.00	" " Brook 75 " " " S W
40.00	Set a 74 su post from which
	4 Buck. 18 mi deer beam S 35 W. 9 miles north; 1 a,



T. N<sup>o</sup> 9. M.R. N<sup>o</sup> 477 2<sup>nd</sup> Mn Ind<sup>e</sup>

73.00 Cottonwood 15 in diam. trees N30 E 25 miles dist  
 Enter cut the West Boundary 50 miles South of the  
 foot cr. of L<sup>o</sup>. 25 & 36. T. N<sup>o</sup> 9. M.R. N<sup>o</sup> 547 & cut a  
 foot for the cor. off L<sup>o</sup>. 30 & 31 from which a  
 Creek 15 in diam. trees N30 W. 25 miles dist; ra,  
 Hickory 14 " " " 45 W. 10 " "  
 Lande hilly and upon Timber Creek. Oak &c.

North Between L<sup>o</sup>. 29 & 30 T. N<sup>o</sup> 9. M.R. N<sup>o</sup> 477  
 25.00 Trout Brook 10 miles wide, Co. S.W.  
 40.00 L<sup>o</sup> 74 so foot from which a  
 Mr. Oak. 15 in diam. trees S65 E. 4 miles wide, ra,  
 Ash. 20 " " " 45 W. 4 " "  
 71.50 Trout Brook 12 miles wide, Co. N.W.  
 80.00 L<sup>o</sup> a temp. foot for the cor. off L<sup>o</sup>. 19. 20. 29 & 30  
 Poor hilly Creek land

East On a Random line between L<sup>o</sup>. 20 & 29 T. N<sup>o</sup> 9. M.R. 477

West Between L<sup>o</sup>. 20 & 29 Between line. T. N<sup>o</sup> 9. M.R. 477  
 15.50 Trout Brook 3 miles wide, Co. S.E.  
 40.00 L<sup>o</sup> 74 so foot from which a  
 Hickory 24 in diam. trees. N14 E. 21 miles dist; ra,  
 Ash. 16 " " " 45 W. 31 " "  
 80.00 To the foot cr. of L<sup>o</sup>. 19. 20. 29 & 30 from which a  
 Creek 24 in diam. trees S80 E. 25 miles dist; ra,  
 Mr. Oak. 36 " " " 30 W. 40 " "  
 Hilly Creek land

West Between L<sup>o</sup>. 19 & 30 T. N<sup>o</sup> 9. M.R. 477  
 30.00 Trout Brook 75 miles wide, Co. S.W.  
 40.00 L<sup>o</sup> 74 so foot from which a  
 Maple 14 in diam. trees 40 W. 28 miles dist; ra,

74.00	<p>Wornbeam 4 in diam. bears N50 W. 25 links dist<sup>y</sup>.                  Set out the West Boundary 100 links South of the first                  cor. of sec. 24 &amp; 25. T. N<sup>o</sup> 9. M.R. 5 W. &amp; set a post for the                  cor. of sec. 19 &amp; 20 from which is                  Gum 20 in diam. bears S8 E. 4 links dist<sup>y</sup>; run                  Beech. 14 " " " N15 E. 27 " "                  That met lands; Limit 7 Beech. Gum &amp; c.</p>
<p>Anth                  24.00                  25.50                  38.00                  40.00</p>	<p>Between Sec. 19 &amp; 20. T. N<sup>o</sup> 9. M.R. 4 W                  Iron Ach. 18 in diam. stands in the line                  Soap Brook 5 links wide, Co. N.W.                  Sable 8 " " " N                  Set a post for the first from which is                  Beech. 16 in diam. bears N35 E. 20 links dist<sup>y</sup>; run                  Co. 4 " " " S40 W. 10 " "                  Soap Brook. 12 links wide, Co. N.W.                  80.00 Set a post for the cor. of sec. 17, 18, 19 &amp; 20                  Pretty Good lands; Limit 7 Beech. Sugar &amp; Oak</p>
East	<p>On a line between Sec. 17 &amp; 20 T. N<sup>o</sup> 9. M.R. 4 W</p>
<p>West                  40.00                  80.00</p>	<p>On the true line between Sec. 17 &amp; 20 T. N<sup>o</sup> 9. M.R. 4 W                  Set a post for the first from which is                  Beech. 18 in diam. bears N37 E. 21 links dist<sup>y</sup>; run                  Co. 16 " " " S77 W. 20 " "                  To the first cor. of sec. 17, 18, 19 &amp; 20 from which is                  Beech. 7 in diam. bears S65 E. 7 links dist<sup>y</sup>; run                  W. Oak. 13 " " " N56 W. 45 " "                  Good 7 Beech. lands.</p>
<p>West                  40.00</p>	<p>Between Sec. 18 &amp; 19 T. N<sup>o</sup> 9. M.R. 4 W                  Set a post for the first from which is                  Beech. 40 in diam. bears S81 E. 12 links dist<sup>y</sup>; run</p>

T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W 2nd Mer. Ind<sup>a</sup>

Run 8 in dist. bears N 17. 26 W 1/2 S 1/2 E;  
 67.50 Toat Brook 75 links side, Co. S E  
 75.00 Set out the West Boundary 200 links South of  
 the first cor. of sec. 13. & 24 T. N<sup>o</sup> 9. N.R. 5 W & set a post  
 for the cor. of sec. 18 & 19 from which =  
 Brook. 16 in dist. bears S 37. 6 W 1/2 S 1/2 E;  
 Engw. 54 " " " N 10 7. 24 " "  
 Flat mt. land; Timber Brook, Gum Elm & Maple

North Return Sec. 17. & 18 T. N<sup>o</sup> 9. N.R. 4 W  
 7.00 To an ash. 14 in dist. stands in the line  
 25.50 Toat Brook 75 links side, Co. S W  
 40.00 Set a 7/4 sec post from which =  
 Brook 15 in dist. bears N 10 E. 12 W 1/2 S 1/2 E;  
 Co. 13 " " " S 40 W. 3 " "  
 80.00 Set a temp. post for the cor. of sec. 7. 8. 17 & 18

East On a Random line between Sec. 8. & 17 T. N<sup>o</sup> 9. N.R. 4 W

West On the true line between Sec. 8. & 17 T. N<sup>o</sup> 9. N.R. 4 W  
 26.50 Toat Brook 4 links side, Co. N  
 40.00 Set a 7/4 sec post from which =  
 Elm 18 in dist. bears S 5 E. 7 W 1/2 S 1/2 E;  
 Brook. 8 " " " N 43 E. 29 " "  
 65.00 Toat Brook 75 links side, Co. S  
 79.50 To the first cor. of sec. 7. 8. 17. & 18 from which =  
 Brook. 16 in dist. bears N 40 E. 33 W 1/2 S 1/2 E;  
 Co. 18 " " " S 3 E. 21 " "  
 Poor hilly Brook, land

West Return Sec. 7 & 18 T. N<sup>o</sup> 9. N.R. 4 W  
 40.00 Set a 7/4 sec post from which =  
 Brook 12 in dist. bears N 20 E. 12 W 1/2 S 1/2 E;

41

T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4. W. 2<sup>nd</sup> New Ind<sup>s</sup>

75.00 Buck 18 in diam: trees S 76 W. 26 mts dist  
 77.00 Trout Brook 20 mts wide, Co. S.E.  
 Enter at the West Boundary 300 mts South of the  
 first cor of sec 12 & 13. T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 5 W. 1st a  
 post for the cor. of sec. 7 & 18 from which a  
 Sycamore 24 in diam: trees S 76 E. 30 mts dist; 1 a,  
 Buck. 14 " " " S 48 W. 40 " "  
 Poor Buck lands.

North Between Sec 7 & 8 T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 4 W  
 13.00 Iron R Oak 30 in diam: in the line  
 37.50 Trout Brook 4 mts wide, Co. E.  
 40.00 Set a post for 7420 cor. from which a  
 Maple 12 in diam: trees. S 85 W. 4 mts dist; 1 a,  
 Maple. 8 " " " N 61 E. 30 " "  
 80.00 Set a temporary post for the cor. of sec. 5, 6, 7, & 8.

West On a line between Sec 5 & 8 T. N<sup>o</sup> 9. N.R. 4 W  
 38.00 Trout Brook 75 mts wide, Co. S  
 40.00 Set a post for the cor of 7420 from which a  
 Cherry 16 in diam: trees N 50 E. 11 mts dist; 1 a,  
 Buck. 5 " " " S 65 W. 30 " "  
 80.00 To the post cor of sec 5, 6, 7, & 8 from which a  
 Buck. 12 in diam: trees N 20 W. 6 mts dist; 1 a,  
 Oak 24 " " " S 40 W. 14 " "  
 Poor 1 Bro Run Buck. Lands.

North Between Sec 5 & 6. T. N<sup>o</sup> 9. N.R. 4 W  
 26.50 Trout Brook 16 mts wide, Co. S.E.  
 38.50 To a llo 15 " " " S.E.  
 40.00 Set a 7420 post from which a  
 Maple 18 in diam: trees N 30 E. 14 mts dist; 1 a,  
 Thorn 6 " " " West





T. N. 9. N. R. N. 4 W. D. M. M. S. d. a

N 82 E. 2.79

N 35 W. 3.28

N 32 E. 1.00

S 42 E. 3.77

S 22 E. 15.67

S 10 W. 6.62

S 43 W. 9.574

S 33 W. 10.50

South 8.61 To post in line between Sec. 1 & 10 from which  
Willow 10 mi. dist. from N 11 W. 11 huts dist; 1 mi  
Maple 4 mi " " East 17 mi " "

West 5.04 Across the River

East Between Sec. 1 & 10.

17.13 To the post c. of sec. 1 & 10 T. N. 9. N. R. 4 W.

S 6 W. 4.15

In Sec. 12

S 24 W. 3.73

S 16 W. 3.71

S 34 W. 5.45

S 49 W. 8.39

S 67 W. 4.13

S 42 W. 10.95

S 36 W. 8.30

S 21 W. 8.77

S 44 W. 3.30

S 12 W. 19.89 To a post from South 75 huts side,

S 36 W. 4.00 11th May 1820

S 30 W. 3.98

S 13 W. 7.60 To post in line between Sec. 12 & 13. from which  
Cottamort 16 mi. dist. from East 15 huts dist; 1 mi  
Lo Co " " N 19 W. 14 " "

West Between Sec. 12 & 13. 4.92 Across the River.

East Between Sec. 12 & 13. 22.00 To 74 sec. post

I. N<sup>o</sup> 9. N.R. N<sup>o</sup> 47. 2<sup>nd</sup> Mn. Sud<sup>3</sup>

South 4.37 In su. 13.

S16 W. 14.39

S30 W. 5.65

S62 W. 8.10 To post on line between Sec 13 & 14 from which Walnut 36 in. dia. runs S67 W. 30 units dish; to  
Oha. 10 " " " S71 E. 34 " "

North Between Sec. 13 &amp; 14 4.58 lks across N River

South " " 13 &amp; 14 13.08 To 1/4 sec. cor. thence

S80 W. 3.35 Rocky Bluff In su. 14

N41 W. 1.65

S79 W. 1.23

S78 W. 3.30

S83 W. 3.50

S78 W. 1.22

S68 W. 12.24

S76 W. 4.75

S67 W. 10.00

S52 1/2 W. 4.20

S27 W. 16.13

S1 W. 9.54 1/2

S22 W. 2.46

S4 W. 9.10

S10 E. 1.50

S10 W. 3.39

S1 1/2 W. 4.66

S25 W. 2.63

S12 W. 1.00 To the post on line between Sec. 14 &amp; 23 from which

S12 W. " Red Rock 8 in dia. runs S49 E. 9 units dish  
Clothmood 10 " " " N21 W. 21 " "

East Between Sec. 14 &amp; 23; 13.34 to 1/4 sec. cor.

S12 W. 2.00

45

T. No. 9. N.R. No. 4 47. 2<sup>nd</sup> Mn Ind.

429 N	2.67	In cu. 23
417 N	5.26	
452 N	1.65	
441 N	1.75	
439 N	3.40	
467 N	9.96	
483 N	1.49	
488 N	5.75	
465 N	2.39	Top of in line between Sur 22 & 23 from mouth Keopack 6 in diam. brass East 3 huts deck; 12 ft deck 10 " " " 465 E. 37 " "
North	Between Sur 22 & 23;	6.93 across N. River
South	" " " "	21.88. To 74 cu. cor.
459 N	3.94	
431 N	4.37	In cu. 22
424 N	6.40	
49 N	3.94	
411 N	0.85	12 <sup>th</sup> May. 1820
412 N	1.55	To the spot in line between Sur 15 & 22 from mouth Buckeye 8 in diam. brass East 9 huts deck; 12 ft do. 14 " " " 430 E. 22 " "
East	Between Sur 15 & 22;	5.15 across river
West	" " " "	28.80 to 74 cu. feet

---

415 N	3.58	In cu. 15
414 N	5.52	
435 N	6.38	
447 N	5.21	
460 N	2.39	
475 N	10.85	
480 N	4.63	
473 N	2.18	
482 N	1.57	



*J. N. 9. N.R. N. 4 N. 2<sup>nd</sup> Min. Sec.*

N 72 W. 15.56

*In Sec. 15.*

S 48 W. 5.72

S 14 W. 9.36

S 42 E. 3.75

S 44 W. 4.00

S 53 W. 6.66

N 89 W. 4.75

N 68 W. 5.16

N 71 W. 2.19

N 70 W. 3.56 *Top of line between Sec. 15 & 16 from which*

*Height 18 in. dist. from N 80 E. 21 links dist; to*

*Do. 20 " " " S 80 W. 28 " "*

*North Return lat. 15 & 16; 13.87 across river. Corner N. 6.*

*South " " lat. 15 & 16. 9.18 to cor of lat. 15. 16. 21.522*

N 51 W. 4.62

*In Sec. 16.*

N 35 W. 4.06

N 8 W. 3.11

North 1.72

N 10 W. 2.96

N 20 W. 3.78

N 34 W. 4.98

N 71 W. 3.09

S 84 W. 2.42

S 41 W. 4.72

S 42 W. 6.51

S 5 1/2 W. 2.07

S 3 E. 11.05

S 28 W. 1.20

S 17 W. 3.52

S 52 W. 7.84

S 69 W. 4.32

S 60 W. 2.08 *Top of line between Sec. 16 & 21 at 15. links*

47

D. N. 9. N.R. N. 4 N. 2nd Ann. Sud.

West of the 74 to 100

S60 N. 5.26 In Lw. 21

S70 N. 3.06

S79 N. 8.32

N82 N. 4.71

N76 N. 3.15

S45 N. 3.61

S67 N. 2.75

S34 E. 3.57

S40 E. 1.94

S53 E. 6.10

S64 E. 4.52

S72 E. 2.75

S43 E. 5.93

S157 E. 3.00

S24 E. 3.64

S14 E. 2.47

S8 E. 6.37

S6 N. 5.79

S22 N. 4.54

S34 N. 4.97

S59 N. 2.86

S45 N. 12.024

S25 N. 4.27

S6 N. 7.40

S19 E. 2.43

S7 N. 1.08 Top of on line between Lat. 21.828. From which  
Cottonwoods of N. dist. trees N48 E. 15 miles dist;

Lo 8 " " " S30 E. 30 " "

West - Return Lat. 21.828 5.47 across river.

East " " 21.828; 22.94 To 74 Le. Cor.

Saturday 13 May 1820.

J. N. 9. M.R. N. 47. 2<sup>nd</sup> M. L. 2<sup>nd</sup>?

S19 E.	3.44	In Lu. 28
S30 E.	6.50	
S39 E.	12.49	
S27 E.	1.91	
S30 E.	6.79	
S38 E.	2.61	
S59 E.	5.60	
N86 E.	9.42	
N49 E.	2.68	
N57 E.	4.19	
N89 E.	2.32	
N65 E.	2.36	
S84 E.	6.38	
S49 E.	6.38	
S16 E.	7.94	
S9 W.	4.05	
S14 W.	5.55	
S8 E.	1.50	
S6 W.	6.14	
S10 W.	2.59	
South	2.48	
S18 E.	8.00	
S39 E.	2.56	
S60 E.	3.64	
S11 E.	5.10	Mouth of Raccoon Creek
" 85		Across the creek
S22 E.	1.53	Topset on Riv. between S. 28.133 from which -
		Wellen Co. dist. bears N68 E. 7 miles dist
		No. 5 " " " S57 9 " "
West	Return	S. 28.133; 4.37 across the Riv.
East	"	" 28.133. 2.37 to cn of S. 27.1833834
South	400	In Lu. 33.

S40 N 1.65

S26 N 4.19

S43 1/2 N 6.63

South 4.48

N63 E. 2.27

S24 E. 1.63

S36 N 3.00

S20 N 8.27

S36 N 5.91

S53 N 11.05

In su 33.

S65 N 2.79

S51 N 7.51

S27 N 1.40

S42 N 5.82

S55 N 1.92

S63 N 3.38

S59 N 4.46

S78 N 3.92

S57 N 6.84

S44 N 5.85

S1 E. 4.90

N85 N 5.55

N73 N 7.77

N75 N 1.43. To post on line between Sur. 32.133. from which

Meiky 10 in dist. from S59 N.30 under each r.

N. Walnut 10 " " S72 E. 16 " "

South Return Sur. 32.133. ; 10.07 to cor. of 32.133

North " " " " 5.77 across River.

N75 N 5.35

In su 32.

N45 N 2.29

N27 N 2.19

N31 N 10.17



T. No. 9. N.R. No. 4 N. 2<sup>nd</sup>. Min. Sud.

J89 N. 6.87

J31 N. 547 To apex putting out of the River

J88 E. 2.58

N60 E. 4.59

J8 E. 3.06

J40 N. 4.92

J67 N. 2.80

N86 N. 9.64

In No. 30

J79 N. 1.53

N83 N. 10.35

N79 1/2 N. 2.98

N72 N. 4.09

N83 N. 1.65 To the Mouth of Creek (Sacks)

1.02 across the creek from J.E.

N70 N. 1.30

N81 1/2 N. 5.64

N61 N. 1.60

N70 N. 3.50

N. 50 N. 6.75

N27 N. 7.59

N82 N. 1.18

N79 N. 3.57

J61 N. 1.61 To the post on line between Sud. 31.132 from which

Wells 14 in diam bears J77 N. 29 N. 29 N. 29 N. 29

do 6 " " " N39 E. 20 " "

South 31.08 Return Sud. 31.132 To cor. of No. 31.132

North 4.24 " " " " " across River

J62 N. 5.27 1

J44 N. 6.60

In No. 31.

J27 N. 7.16

J19 N. 1.60

J24 N. 2.16

T. N<sup>o</sup> 9. MR. N<sup>o</sup> 4. W. 2<sup>nd</sup>. (Mn. Ind.)

S18 N. 5.00  
 S4 N. 5.01  
 S4 E. 4.09 To Sum. Min. S. 1<sup>st</sup> Brum of Ru. 31. Set apart for  
 cor of Ru. 31. from which is  
 Maps 7 in. dist. bears N57 N. 16 links dist; 1 in,  
 No. 20 " " " S57 E. 16 " "  
 East 14.42 To cor of Ru. 31 132 T. N<sup>o</sup> 9. MR. N<sup>o</sup> 4 W  
 Monday. 15. May. 1820

West 1.97 To an Island in the river  
 1.95 middle of Island  
 285 To the Right Bank of White River & set apart  
 for the cor. of Ru. 31. T. N<sup>o</sup> 9. MR. N<sup>o</sup> 4 W. from which is  
 204 words in dist. bears N24 E. 11 1/2 links dist; 1 in,  
 No. 3 " " " S30 E. 17 " " " three  
 Up Stream. On the Right Bank  
 North 2.65 In Ru. 31 Upper point of Island  
 N13 N. 1.06 To Ash creek Corner E.  
 N13 E. 2.19  
 4.10 Across creek  
 N6 N. 2.07  
 N31 E. 3.60  
 N5 N. 1.55 To Lower point of Island  
 N5 N. 2.41  
 N17 E. 3.95  
 N24 E. 2.16.  
 N36 E. 4.27  
 " " " 1.00 Upper point of Island in middle of river  
 N49 E. 2.75  
 N44 E. 3.45  
 N55 E. 1.00  
 N68 E. 3.94  
 N80 E. 1.44

J. N. 9. M. R. N. 47. 2<sup>nd</sup> (Mn. Ind.)

N69E 5.47 Support on line between Lat. 31.133 from which  
a S. 15 in dist. from N46E. 22 units dist; 12  
Buck 24 " " Antk 13 " "

N66E. 6.66

N70E. 4.67

N46E. 7.45

N5E. 4.78

N42E. 4.58

In Lu. 32

N77E. 8.65

N89E. 6.23

N82E. 1.68

N80E. 4.50

N69E. 8.28

N47E. 5.76

N27E. 4.10.

N44E. 5.50 To mouth of creek coming from N.

N75E. 1.62 mouth of creek 160

N70E. 2.45

N77E. 4.35

N69E. 2.93.

N44E. 10.31

N25E. 3.84

N49E. 2.76 Support on line between Lat. 32.133 from which  
a S. 3 in dist. from N30E. 13 units dist; 12  
Cottonwood 4 " " N79E. 16 " "

N56E. 4.547.

N83E. 3.30

In Lu. 33.

N63E. 5.80

N50E. 6.19

N58E. 6.79

N68E. 1.63.

53

T<sup>o</sup> 9. MR. N<sup>o</sup> 47. 2<sup>o</sup> Mer. End<sup>a</sup>.

N53E. 4.43

N67E. 4.97

N88E. 5.89

N54E. 3.38

N43E. 8.62

N54E. 1.60

N42E. 5.06

N47E. 4.87

N23E. 1.34

N46E. 2.92

N73E. 5.50

N39E. 4.69

N10E. 4.85

N4E. 5.60

N11E. 5.63

N35E. 2.97

N1E. 2.11

N45E. 4.13

N347E. 3.20      To post on line between Dec 28. 133 from which  
Maple 3 in dead trees North 10 units west; say  
Ho. 3 " " " 96 N. 92 " "

---

N16E. 4.42 In Dec. 28

N58N. 7.75

N36N. 4.81

N11N. 7.07

A small Island or Sand Bar

" " " 98

N5E. 9.42      Upper end of Island

" " " 4.38

N30E. 1.69

N2E. 4.00

N26E. 2.25

N30N. 3.54



In Lu. 28

N597. 3.64

N857. 3.45

N637. 5.33

N517. 5.54

N857. 6.07

N727. 9.19

N537. 5.38

N317. 1.88

N417. 11.24

N267. 2.56

N307. 1.97

N417. 1.63

N337. 6.86

N267. 1.47

N337. 1.38

N497. 1.23

N877. 1.36

N197. 4.35

N16. 0.70 To put on line between Lu. 21. 128 from which  
Hacking 7 m. dist. from East. 3. units dist; 7 m.

No. 8 " " " N877. 13 " "

Tuesday 16. May. 1820

N577. 5.10

N116. 8.37

N226. 7.46

N176. 3.22

N447. 10.68

N686. 1.57

N256. 1.84

N226. 9.66

N187. 1.66

N307. 8.73

N457. 2.55.

In Lu. 21.

T. N. 9. N. R. N. 4. W. 2nd Mer. Sec.

N53W 10.63  
 N61W 3.67  
 N34W 2.08  
 N42W 2.06  
 N13W 3.79  
 N2W 3.63.  
 N4E. 6.10.  
 N15E. 1.85  
 N28E. 2.09 To the post in line between Sec. 16 & 21 from which  
 Back 7 in. out from N20 E. 15 links out; & a  
 Hook 12 " " " 28 W. 23 " "  
 Web 9.97 Between Sec 16 & 21 To cor of 16. 17. 20 & 21

N39E. 4.39  
 S84E. 5.70 In Ru. 16.  
 S49E. 5.57  
 S86E. 1.05 To the post cor of Sec 16 & 21  
 East 14.15 Between Sec 16 & 21 across the River to 1/4 sec cor

N86E 2.48  
 N74E 6.73  
 N61E 10.00  
 N35E 2.34  
 N18E 5.15 In Ru. 16.  
 N23W 3.30  
 N8W 4.04  
 N20E 7.36  
 N42E 3.41  
 N51E 5.17  
 N84E 2.35  
 N81E 3.42  
 N87E 9.03  
 S53W 4.85.

*I. N<sup>o</sup> 9. N. R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mv. S. d.*

*S22 E. 5.78*

*S12 E. 5.63*

*S35 E. 2.61*

*S27 W. 2.23.*

*S24 E. 5.92*

*N6 E. 2.00. To the post on line between Sep 15 & 16 from which  
Cottamwood Dr. dist. bears S41 W. 2 1/2 miles dist. to  
Maple 5 " " " N80 E. 9 " "*

*S30 E. 3.22*

*S43 E. 2.70*

*S60 E. 2.67*

*S71 E. 3.00*

*In Sw. 15.*

*N57 E. 5.59*

*N30 E. 1.09*

*N4 W. 3.92*

*N6 E. 3.07*

*N26 E. 4.15*

*N42 E. 2.08*

*N22 E. 2.98*

*N52 E. 4.01*

*N72 E. 5.63*

*S86 E. 3.26 To a Brook 110 miles away, Conna S.*

*" " " 1.21*

*S68 W. 4.65*

*S42 E. 3.60*

*S80 E. 7.12*

*N82 E. 2.83*

*S85 W. 3.83*

*S87 E. 3.29*

*S74 E. 2.30*

*S60 E. 5.71*

*S53 E. 3.79*

57

J. N<sup>o</sup> 9. N1C N<sup>o</sup> 477 2<sup>nd</sup> Mar. Laid.

S39 E.	1.36.	
S52 E.	0.70	
S26 E.	1.30	
S46 E.	0.79	
S37 E.	7.94	
S24 E.	4.07	
South	5.78	To post in line between Sec 15 & 22 from where Cottonwood 10 in. dist. bears S137°10' links dist; to Maple 4" " " N19 E. 5 1/2" "

S8 E.	3.74	In cu. 22
S20 E.	4.83	
S34 E.	3.28	To post in line between Sec. 22 & 23 from where a Cottonwood 7 in. dist. bears S22 E. 18 links dist; to Maple 2 1/2" " " S57° 5 1/2" "

S70 E.	9.86	
N62 E.	4.48	In cu. 23.
N49 E.	6.24	
N31 E.	2.41	
N24 E.	5.00	Wednesday 17. Mar. 1820
N34 E.	0.95	To the post in line dividing Sec 14 & 23 from where a Mulberry 4 in. dist. bears N65 1/2 E. 15 links dist; under Big Marsh 12" " " S64 E. 2 3/2" "
East	5.43	Between Sec 14 & 23 across River

N19 E.	1.70	
N9 E.	3.93	
N37	1.92	In cu. 14.
N22 E.	1.10	
N6 E.	6.94	
N3 E.	4.43	
N14 E.	8.76.	



D. No 9. N.R. No 47. 2<sup>nd</sup> New Ind.N7 $\frac{1}{2}$ E. 1.63

N6 W 2.45

N1 E. 5.08

N37E. 1.77

N27E. 1.11

N38E. 3.30

N48E. 5.66

N68E. 0.87

N60E. 7.35

N70E. 2.70

N65E. 1.31

N73E. 4.78

N67E. 5.48

N80E. 2.25

N73E. 7.23

N80E. 7.85

S80E. 2.43

S85E. 2.50

N82E. 2.48

N89E. 0.84. To the post on line between Sec. 13 & 14 from  
 which a Sycamore 3 in. dia. tree N85E. 23 $\frac{1}{2}$  ft the dist.  
 and to a Boxwood 4" " " N56W 23 " "

In Sec. 14

North 8.15

N58E. 3.23

N46E. 1.97

N24E. 6.59

N14E. 3.00

" " " 1.58

N7E. 2.44

N17E. 3.15

N11E. 2.04

N5W 0.78

To a Creek 50 yds wide, Co. Mr  
 To post on line between Sec. 12 & 13 from which

In Sec. 13.

To a Creek 50 yds wide, Co. Mr

59

O. N<sup>o</sup> 9. N.V. N<sup>o</sup> 47. 2<sup>nd</sup> Mm. Lm.

Hackberry 18 mi. dist. from N2 E. 6 1/2 mks. dist. to  
 Mulberry 6 " " " N4 E. 29 " "

N16 E. 8.67

N21 E. 6.93

N3 E. 1.58

N15 E. 4.18

N6 E. 1.55

In Lu. 12

N19 E. 2.20

N12 E. 2.34

N19 E. 2.36

N12 E. 3.11

N19 E. 1.93

N23 E. 4.50

N38 E. 4.14

N39 E. 1.50

N30 E. 11.27

N46 E. 2.50

N36 E. 3.50

N46 E. 7.77

N60 E. 1.46

N51 E. 15.16

N12 E. 6.09

N8 E. 1.26 To peak on hill between Lu. 1. & 12 from which  
 Hackberry 12 mi. dist. from S82 W. 9 mks. dist. to  
 Wyman 48 " " " S22 E. 28 " "

N12 E. 11.71

N24 E. 1.92

In Lu. 1

N15 E. 1.97

N32 E. 7.85

N41 E. 7.89

N8 E. 6.69

T. N. 9 N. R. N. 4 W. 2<sup>nd</sup> Mer Ind.

N42 W 3.86  
 N73 W 5.07  
 N65 W 4.20  
 N55 W 3.95  
 N39 W 3.80  
 N16 W 4.45  
 N1 W 1.76 To Rattle Snake Cr. 150 Wicks wide, Co. M  
 N15 E. 1.51  
 N4 E. 4.32  
 N18 E. 1.36  
 N45 E 4.27  
 N69 E. 2.56  
 S50 E. 2.26  
 N30 E. 9.15  
 N7 W 4.90  
 N34 W 5.94  
 N18 W 1.71 To the East Boundary Line of T. 1. T. N.  
 9. N. R. N. 4 W. at Buckeye. 8 mi dist. Stands for  
 the cor. from which  
 Hackberry 36 mi dist. bears N19 W. 25 miles distant  
 Box woods 12 " " " S19 E. 64 " "  
 East 6.66. On N. Boundary of T. 1. across river

Thursday 18<sup>th</sup> May. 1820.

Surveyed by Alexander Holmes L.S.

I certify that the foregoing Transcript of the  
 Field notes of Township N. 9. North of Range  
 N. 4 West of the 2<sup>nd</sup> Principal Meridian in  
 Indiana, has been compared with the Original notes  
 in this Office, and found to be correct.

Surveyor General's Office,  
 Cincinnati, Dec. 31<sup>st</sup> 1840

E. S. Haines  
 Sur. Gen.